

# EXOFORM >> >

Uniformly low profile at 1492mm is designed by American team. Translucent shroud at thickness 3.2mm with smooth pattern is in injection molding, which designed elegantly and ensures ultra durability and non-deformation

Build-in console, which is well designed by American UI team, displays reps and time

The upright tubes are with special tube at size 72.8×141.7×3mm, and the functional part with race track tube at size 40×133×3mm. Tubes applys double powder-coated & painting process which ensure high-quality and ultra durability

The steel guide rod (diameter:19mm) is anti-corrosion coated and polished which ensures smoothly travel and

Friendly designed iPad and bottle holders are separated to meet various requirement

The 5LBS incremental weight is to meet users requirement

All the hardware parts exposed are nickel plated or stainless steel. The NBK bearing is applied Meet EN957 safety regulation


Ergonomically designed handle bars, which is patented, are with TPU matrial and aluminium gripring. The concise design offers comfort and safety

Ergonomically designed upholstery is with PU foam which offers comfort and safety protection

Belt and cable driving system are both applied. Self-lubricate American Loss cable with nylon-coated 12 complex fiber ensures service life 300,000 times. The belt is with steel wire embedded which ensures ultra durability and long lifetime

With spiral spring assistance system, the patented 3-linkage seat adjustment is concisely designed, cost-saving and offers easy installment

All dynamic components are shielded for safety purpose Gas spring for resetting



OPTION 1	160lbs/68.3kg
OPTION 2	200lbs/85.5kg
S NOITEC	235lbs/102.8kg
OPTION 4	295lbs/129.2kg



\* COLOR OPTIONAL



# FE9701 CHEST PRESS

Dimension	1230x1570x1490(mm)
(L×W×H)	48.4x61.8x58.7 (in)
Net Weight	169.7kg/373.3lbs







### FE9702 LAT PULLDOWN

Dimension (L×W×H)	1304×1226×2109 (mm)
	51.3x48.2x83.0 (in)
Net Weight	177.7kg/390.9lbs

# FE9703 ARM CURL

Dimension	1149x1567x1490(mm)
(L×W×H)	45.2x61.7x58.7 (in)
Net Weight	169.1kg/372lbs











# FE9704 PECTORAL

Dimension	1197x1551x1489 (mm)
(L×W×H)	47.1x61.1x58.6 (in)
Net Weight	166.2kg/365.6lbs



# FE9705 LEG EXTENSION

Dimension	1264x1239x1489(mm)
(L×W×H)	49.8x48.8x58.6 (in)
Net Weight	169.6kg/373.1lbs





# FE9708 ABDUCTOR/ADDUCTOR

Dimension	1776x1546x1488 (mm)
(L×W×H)	69.9x60.9x58.6 (in)
Net Weight	165.8kg/364.8lbs





# FE9706 SEATED LEG CURL

Dimension	1240x1541x1489 (mm)
(L×W×H)	48.8x60.7x58.6 (in)
Net Weight	183.6kg/403.9lbs





Dimension	1781×1293×1491(mm)
(L×W×H)	70.1x50.9x58.7 (in)
Net Weight	279kgs/613.8lbs





# FE9712 SHOULDER PRESS

Dimension	1762x1422x1492(mm)
(L×W×H)	69.4x55.9x58.7 (in)
Net Weight	168.7kg/371.1lbs



### FE9714 ABDOMINAL

Net Weight	141.5kg/311.3lbs
(L×W×H)	54.4x47.3x58.7 (in)
Dimension	1383×1202×1491(mm)



# FE9715 PEC FLY/REAR DELT

Dimension	1296x1758x1490(mm)
(L×W×H)	51x69.2x58.7 (in)
Net Weight	160.7kg/353.5lbs











# FE9716 CALF RAISE

Dimension	1265x1186x1721(mm)
(L×W×H)	49.8x46.7x67.8 (in)
Product Weight	167.8kg/369.2lbs



# FE9718 TORSO ROTATION

Dimension	1293x1346x1490 (mm)
(L×W×H)	50.9x53.0x58.7 (in)
Net Weight	176kg/387.2lbs





# FE9719 ROW

Dimension	1996×1127×1492(mm)
(L×W×H)	78.6x44.4x58.7 (in)
Net Weight	174.8kg/384.6lbs





# FE9720 WEIGHT ASSISTED CHIN/DIP COMBO

Dimension	1750x1378x2197 (mm)
(L×W×H)	68.9x54.2x86.5 (in)
Net Weight	243.5kg/535.7lbs







# FE9721 PRONE LEG CURL

Dimension	1606×1193×1492mm)
(L×W×H)	63.2x47x58.7 (in)
Net Weight	154.2kg/339.2lbs





# FE9723 TRICEP

Dimension	1149x1580x1490 (mm)
(L×W×H)	45.2x62.2x58.7 (in)
Net Weight	163.5kg/359.7lbs



# FE9724 LATERAL RAISE

Dimension	1266x1261x1491 (mm)
(L×W×H)	49.8x49.6x58.7 (in)
Net Weight	187.5kg/412.5lbs



# FE9726 GLUTE

Dimension	1307x1483x1488 (mm)
(L×W×H)	53.9x58.4x58.6 (in)
Net Weight	168.5kg/370.7lbs












# FE9732 BACK EXTENSION

Dimension	1383×1203×1492(mm)
(L×W×H)	54.4x47.4x58.7 (in)
Net Weight	185.4kg/407.9lbs



# IT95 Line >> >

Tube: 3mm tube in main frame and movement parts. U-frame uses PR95x81.1x3 tube and functional parts use RT50x100

> Plastic part: Injection molding for better quality

> > Painting: Double coated surface treatment

Incremental weight (optional): 5lbs for smaller adjustment

Easy to enter and exit the machine and able to adjust when in sitting position



Handle: Patented ergonomic design with TPU material

Standard metal part: Nickle plated or stainless steel for better appearance and quality

Diverging motion structure allows the arm training simultaneously and alternately

Pad: Double stitch and add protect cover on the back. Various colors to choose from

Pulley: Lathed pulley with less tolerance

Cable: USA imported cable which passed more than 250 thousand times test

Bearing: Reliable Taiwan brand

Conform with EN957. Passed 300,000 times fatigue test and 100kg stable test

#### \* WEIGHT STACK SOLD SEPARATELY

OPTION 1	160lbs/68.3kg
OPTION 2	200lbs/85.5kg
OPTION 3	235lbs/102.8kg
OPTION 4	295lbs/129.2kg



\* COLOR OPTIONAL. OPTIONAL FULL OR SMALL SHROUD.



PRODUCT DIMENSION	1475x1200x1506 (mm)
(LxWxH)	58.1x47.2x59.3 (in)
PRODUCT WEIGHT	127.4kg/280.3lbs





#### IT9502 LAT PULLDOWN

PRODUCT DIMENSION	1440x1384x1889 (mm)
(LxWxH)	56.7x54.5x74.4 (in)
PRODUCT WEIGHT	147.7kg/324.9lbs



#### IT9503 ARM CURL

PRODUCT DIMENSION	1310x1214x1506 (mm)
(LxWxH)	51.6x47.8x59.3 (in)
PRODUCT WEIGHT	115.5kg/254.1lbs



IT95





### IT9504 PECTORAL

PRODUCT DIMENSION	1500x1460x1506 (mm)
(LxWxH)	59.1x57.5x59.3 (in)
PRODUCT WEIGHT	145.2kg/320.1lbs



# IT9505 LEG EXTENSION

PRODUCT DIMENSION	1575x1189x1506 (mm)
(LxWxH)	62.0x46.8x59.3 (in)
PRODUCT WEIGHT	133.1kg/292.8lbs







# IT9506 SEATED LEG CURL

PRODUCT DIMENSION	1536x1187x1489 (mm)
(LxWxH)	60.5x46.7x58.6 (in)
PRODUCT WEIGHT	149.6kg/329.1lbs



# IT9508 ABDUCTOR/ADDUCTOR

PRODUCT DIMENSION	1696x1560x1506 (mm)
(LxWxH)	66.8x61.4x59.3 (in)
PRODUCT WEIGHT	131.1kg/289.0lbs





# IT9509 TOTAL HIP

PRODUCT DIMENSION	1300x980x1506 (mm)
(LxWxH)	51.2x38.6x59.3 (in)
PRODUCT WEIGHT	148.2Kg/326.7lbs



# IT9510 LEG PRESS

PRODUCT DIMENSION	1850x1150x1506 (mm)
(LxWxH)	72.9x45.3x59.3 (in)
PRODUCT WEIGHT	211.3kg/464.9lbs



STRENGTH





### IT9512 SHOULDER PRESS

PRODUCT DIMENSION	1565x1450x1506 (mm)
(LxWxH)	61.6x57.1x59.3 (in)
PRODUCT WEIGHT	137.4kg/302.3lbs



### IT9514 ABDOMINAL

PRODUCT DIMENSION	1348x1168x1581 (mm)
(LxWxH)	53.1x46.0x62.2 (in)
PRODUCT WEIGHT	116.2kg/256.2lbs







### IT9515 PEC FLY/REAR DELT

PRODUCT DIMENSION	1302x1275x2048 (mm)
(LxWxH)	51.3x50.2x80.6 (in)
PRODUCT WEIGHT	132kg/291.0lbs



### IT9516 CALF RAISE

PRODUCT DIMENSION	1289x1158x1715 (mm)
(LxWxH)	50.7x45.6x67.5 (in)
PRODUCT WEIGHT	120.2kg/265.0lbs





# IT9517 SEATED DIP

PRODUCT DIMENSION	1794×1260×1506(mm)
(LxWxH)	70.6x49.6x59.3 (in)
PRODUCT WEIGHT	142.5kg/313.5lbs



# IT9518 TORSO ROTATION

PRODUCT DIMENSION	1221×1202×1506(mm)
(LxWxH)	48.1x47.3x59.3 (in)
PRODUCT WEIGHT	150.8kg/331.8lbs







### IT9519 VERTICAL ROW

PRODUCT DIMENSION	1617×1264×1508(mm)
(LxWxH)	63.7x49.8x59.4 (in)
PRODUCT WEIGHT	126.5kg/278.3lbs





PRODUCT DIMENSION	1573×1315×2286(mm)
(LxWxH)	61.9x51.8x90.0 (in)
PRODUCT WEIGHT	171kg/377.0lbs





### IT9521 PRONE LEG CURL

PRODUCT DIMENSION	1443×1146×1506(mm)
(LxWxH)	56.8x45.1x59.3 (in)
PRODUCT WEIGHT	131.5kg/289.9lbs



### IT9522 LAT PULLDOWN/VERTICAL ROW

PRODUCT DIMENSION	1900×900×2230(mm)
PRODUCT DIMENSION	
(LxWxH)	74.8x35.4x87.8 (in)
PRODUCT WEIGHT	120kg/264.6lbs





### IT9524 LATERAL RAISE

PRODUCT DIMENSION	1222x1213x1506 (mm)
(LxWxH)	48.1x47.8x59.3 (in)
PRODUCT WEIGHT	117.5kg/259.0lbs



# IT9526 GLUTE

PRODUCT DIMENSION	1620x1230x1506 (mm)
(LxWxH)	63.8x48.4x59.3 (in)
PRODUCT WEIGHT	136.6kg/301.2lbs







IT9528 LEG EXTENSION/LEG CURL

PRODUCT DIMENSION	1350x1227x1506 (mm)
(LxWxH)	53.1x48.3x59.3 (in)
PRODUCT WEIGHT	167Kg/368.2lbs





### IT9529 MULTI PRESS

PRODUCT DIMENSION	1950x1460x1667 (mm)
(LxWxH)	76.8x57.5x65.6 (in)
PRODUCT WEIGHT	166kg/365 9lbs





# **IT9532 BACK EXTENSION**

PRODUCT DIMENSION	1233x1185x1506 (mm)
(LxWxH)	48.5x46.7x59.3 (in)
PRODUCT WEIGHT	123.7kg/272.7lbs



IT9533 BICEP CURL/TRICEP EXTENSION

PRODUCT DIMENSION	1300x1225x1506(mm)
(LxWxH)	51.2x48.2x59.3(in)
PRODUCT WEIGHT	132.5kg/291.5lbs






IT95



IT9534 ABDOMINAL/BACK EXTENSION

PRODUCT DIMENSION	1208x1235x1506(mm)
(LxWxH)	47.6x48.6x59.3(in)
PRODUCT WEIGHT	135.2kg/298.1lbs



# PL Line >> >

Easy to use, neat appearance, the PL line is a high quality dual/multi functional machines Light commercial/commercial series.

This PL line is Impulse dual/multi functional line. The user-friendly design makes working out more simple, efficient, comfortable and satisfying.



#### \* WEIGHT STACK SOLD SEPARATELY

OPTION 1 170lbs/70.4kg
OPTION 2 250lbs/102.4kg

Color: metallic silver gray(Other colors are optional based on customer requirements)



#### PL9002 LAT PULLDOWN/SEATED ROW

PRODUCT DIMENSION (L×W×H)	1764×1019×2182 (mm) 69.4×40.1×85.9 (in)
PRODUCT WEIGHT	90.5 kg / 200 lbs
40'	136 Sets



OUTER/INNER THIGH	
PRODUCT DIMENSION (L×W×H)	1609×722×1515 (n 63.3×28.4×59.6 (in
PRODUCT WEIGHT	99 kg / 218 lbs
40'	130 Sets



# PL9010 LEG PRESS/CALF RAISE

PRODUCT DIMENSION (L×W×H)	1938×1148×1520 (mm) 76.3×45.2×59.8 (in)
PRODUCT WEIGHT	111 kg / 245 lbs
40'	88 Sets



PL9019 LEG EXTENSION/LEG CURL

PRODUCT DIMENSION (L×W×H)	1465×1245×1520 (mm) 57.7×49×59.8 (in)
PRODUCT WEIGHT	115.5 kg / 255 lbs
40'	75 Sets



### PL9021 MULTI PRESS

PRODUCT DIMENSION (L×W×H)	1924×1325×1518 (mm) 75.7×52.2×59.8 (in)
PRODUCT WEIGHT	111.5 kg / 246 lbs
40'	120 Sets



### PL9023 BICEPS/TRICEPS

PRODUCT DIMENSION (L×W×H)	1207×1164×1513 (mm) 47.5×45.8×59.6 (in)
PRODUCT WEIGHT	106 kg / 234 lbs
40'	115 Sets




PL9022 REAR DELTOID/PECTORAL FLY

PRODUCT DIMENSION (L×W×H)	1362×1219×2061 (mm) 53.6×48.0×81.1 (in)
PRODUCT WEIGHT	107 kg / 236 lbs
40'	124 Sets



# PL9024 AB/LOW BACK

PRODUCT DIMENSION (L×W×H)	1044×1094×1520 (mm) 41.1×43.1×59.8 (in)
PRODUCT WEIGHT	99.5 kg / 219 lbs
40'	135 Sets



# IF93 >> >

These simple, clean-lines, selectorized series specially designed for entry level small clubs and institutional applications. It offers a complete functional package, is inexpensive to own and is easy to maintain. It matches up beautifully with the benches and racks of the IF line.

The clear and precise instructions and training tips are great for individuals who is new to strength training and help users to build targeted muscle.

Specially designed cup holder is perfectly integrated with cage, making it simple and enerous.

The upright tubing thickness of 2.5mm and the functional parts with rectangular tube at size of  $50 \times 100 \times 2.5$ mm, which make IF93 stronger and more powerful.

The translucent shroud with ABS materials (optional full shroud) is endurable and wear resisting. The main plastic parts are made using injection molding that help to provide teady quality.

The whole series are adopted with the equivalent cage height of 1530mm, which help to create a bright training environment of fitness club.



ensure smooth movement.

#### \* WEIGHT STACK SOLD SEPARATELY

OPTION 1	160lbs/68.3kg
OPTION 2	200lbs/85.5kg
OPTION 3	235lbs/102.8kg
OPTION 4	295lbs/129.2kg

Ergonomic seat cushion, chest and back pad are made of polymer materials. The specially designed pads have different angles, which meet various training requirements.

Ergonomically designed handle bars are made of TPV materials, which make your garb more comfortable and safety. It combines with aluminum end cap reflecting high-end taste.

The main frame is coated with materials that environmental friendly, which helps to improve products quality and provide with good scratching and corrosion resistance.

Designed with stainless steel seat adjustment that provides a longer service life, made it easy to adjust and look beautiful.



THE FULL SHROUD IS OPTIONAL. (Weight stacks varies by the shrouds)



#### IF9301 CHEST PRESS

PRODUCT DIMENSION (L×W×H)	1040×1360×1530 (mm) 40.5×53.5×60.2 (in)
PRODUCT WEIGHT	97.1kg



#### IF9302 LAT PULLDOWN

PRODUCT DIMENSION	1585×1318×1891 (mm)
(L×W×H)	42.4×51.9×74.4 (in)
PRODUCT WEIGHT	100kg



#### IF9303 ARM CURL

PRODUCT DIMENSION (L×W×H)	1216×1028×1530 (mm) 47.9×40.5×60.2 (in)
PRODUCT WEIGHT	90kg



#### IF9304 PECTORAL

PRODUCT DIMENSION (L×W×H)	1736×806×1530 (mm) 68.3×31.7×60.2 (in)
PRODUCT WEIGHT	95kg

 $\star$  The right of specific weight to actual supply prevail.



#### **IF9305 LEG EXTENSION**

PRODUCT DIMENSION	1146×1050×1530 (mm)
(L×W×H)	45.1×41.3×60.2 (in)
PRODUCT WEIGHT	101.5kg



#### IF9306 SEATED LEG CURL

PRODUCT DIMENSION (L×W×H)	1148×1034×1530 (mm) 45.2×40.7×60.2 (in)
PRODUCT WEIGHT	95kg



### IF9308 ABDUCTOR/ADDUCTOR

PRODUCT DIMENSION	1570×935×1530 (mm)
(L×W×H)	61.8×36.8×60.2(in)
PRODUCT WEIGHT	98.5kg



### IF9310 LEG PRESS

PRODUCT DIMENSION (L×W×H)	1790×1168×1530 (mm) 70.5×46.0×60.2(in)
PRODUCT WEIGHT	120.5kg



### IF9312 SHOULDER PRESS

PRODUCT DIMENSION (L×W×H)	1149×1456×1530 (mm) 45.2×57.3×60.2 (in)
PRODUCT WEIGHT	102.6kg



#### IF9314 ABDOMINAL

PRODUCT DIMENSION (L×W×H)	1304×1484×1490 (mm) 51.3×58.4×58.7 (in)
PRODUCT WEIGHT	89.5kg



#### IF9315 PECTORAL

PRODUCT DIMENSION (L×W×H)	1420×1493×1863 (mm) 58.8×55.9×73.3 (in)
PRODUCT WEIGHT	90kg



### IF9316 CALF RAISE

PRODUCT DIMENSION	1150×1105×1775 (mm)
(L×W×H)	45.3×43.5×69.9(in)
PRODUCT WEIGHT	106kg



# IF9317 SEATED DIP

PRODUCT DIMENSION (L×W×H)	1227×1212×1530 (mm 48.3×47.7×60.2(in)
PRODUCT WEIGHT	
PRODUCT WEIGHT	97.5kg



### IF9318 TORSO ROTATION

PRODUCT DIMENSION (L×W×H)	1240×1105×1530 (mm) 48.8×43.5×60.2(in)
PRODUCT WEIGHT	96kg

IF93

#### IF9319 VERTICAL ROW

PRODUCT DIMENSION	1818×870×1530 (mm)
$(L\times W\times H)$	71.6×34.3×60.2(in)
PRODUCT WEIGHT	91.5kg



### IF9321 PRONE LEG CURL

PRODUCT DIMENSION (L×W×H)	1510×1150×1530 (mm) 59.4×45.3×60.2(in)
PRODUCT WEIGHT	101.5kg



#### **IF9323 ARM EXTENSION**

PRODUCT DIMENSION (L×W×H)	1079×1028×1530 (mm) 42.1×40.5×60.2 (in)
PRODUCT WEIGHT	91kg



#### IF9324 LATERAL RAISE

PRODUCT DIMENSION (L×W×H)	1179×750×1530 (mm) 46.4×29.5×60.2(in)
PRODUCT WEIGHT	85kg



#### IF9320 WEIGHT ASSISTED CHIN/DIP COMBO

PRODUCT DIMENSION	1309×1256×2498 (mm)
(L×W×H)	51.5×49.4×98.3(in)
PRODUCT WEIGHT	107kg



#### IF9322 LAT PULLDOWN/VERTICAL ROW

PRODUCT DIMENSION	1886×1223×2227 (mm)
(L×W×H)	74.2×48.1×87.7(in)
PRODUCT WEIGHT	90kg



### IF9326 KICK BACK

PRODUCT DIMENSION (L×W×H)	1068×1034×1530 (mm) 42.0×40.7×60.2 (in)
PRODUCT WEIGHT	90kg

IF93



IF9328 LEG EXTENSION/LEG CURL

PRODUCT DIMENSION (L×W×H)	1272×1270×1530 (mm) 50.1×50.0×60.2 (in)
PRODUCT WEIGHT	105kg



# IF9329 MULTI PRESS

PRODUCT DIMENSION	2026×1446×1530 (mm
(L×W×H)	79.8×56.9×60.2(in)
PRODUCT WEIGHT	97.5kg



#### IF9330 DUAL ADJUSTABLE PULLEY

PRODUCT DIMENSION	1639×882×2270 (mm)
(L×W×H)	64.5×34.7×89.4(in)
PRODUCT WEIGHT	117kg



### IF9332 BACK EXTENSION

PRODUCT DIMENSION	1120×1034×1530 (mm)
(L×W×H)	44.0×40.7×60.2 (in)
PRODUCT WEIGHT	98kg



#### IF9333 BICEP CURL/TRICEP EXTENSION

PRODUCT DIMENSION	1327×1203×1530 (mm)
(L×W×H)	52.2×47.4×60.2(in)
PRODUCT WEIGHT	110kg



# IF9334 AB/BACK

PRODUCT DIMENSION (L×W×H)	1592×1253×1531 (mm) 62.7×49.3×60.3(in)
PRODUCT WEIGHT	TBD



#### IF9335 ABDUCTOR

PRODUCT DIMENSION	1583×946×1530 (mm
(L×W×H)	62.3×37.2×60.2(in)
PRODUCT WEIGHT	95kg



### IF9336 ADDUCTOR

PRODUCT DIMENSION	1583×1036×1530 (mm)
(L×W×H)	62.3×40.8×60.2(in)
PRODUCT WEIGHT	95kg







#### IT9525 ADJUSTABLE HI/LO PULLEY

PRODUCT DIMENSION	1450x1245x2350(mm)
(LxWxH)	57.1x49.0x92.5(in)
PRODUCT WEIGHT	137.5kg/303.1lbs



IT9530 **DUAL ADJUSTABLE PULLEY** 

PRODUCT DIMENSION	1620x1370x2270(mm)
(LxWxH)	63.8x54.0x59.4(in)
PRODUCT WEIGHT	195.5kg/431lbs



#### IT9527 4 STACK MULTI-STATION

PRODUCT DIMENSION	3489x1968x2382(mm)
(LxWxH)	137.4x77.5x93.8(in)
PRODUCT WEIGHT	308.7kg/680.6lbs



#### IT95270PT CABLE CROSSOVER-TRADITIONAL

PRODUCT DIMENSION	2824x222x483(mm)
(LxWxH)	111.2x8.74x19.0(in)
PRODUCT WEIGHT	27.5kg/60.6lbs



#### IT9525+IT9525+IT9527OPT

PRODUCT DIMENSION

4196×1436×2360(mm) 165.2×56.5×92.9(in)





#### IT9527+IT9527+IT9527OPT

PRODUCT DIMENSION 5982×3489×2380(mm) 235.5×137.4×93.7(in)



#### IF9325 ADJUSTABLE HI / LO PULLEY

PRODUCT DIMENSION (L×W×H)	1449×1258×2338 (mm 57.0×49.5×92.0 (in)
PRODUCT WEIGHT	96 kg / 212 lbs
40'	108 Sets



PRODUCT DIMENSION (L×W×H)	3450×2445×2338 (mm) 135.8×96.3×92.0 (in)
PRODUCT WEIGHT	258.6 kg / 570 lbs
40'	48 Sets





#### IF9327OPT CABLE CROSSOVER-TRADITIONAL

PRODUCT DIMENSION (L×W×H)	2505×441×198 (mm) 98.6×17.4×7.8 (in)
PRODUCT WEIGHT	21.5 kg / 47 lbs
40'	526 Sets



#### CABLE CROSSOVER

IF9325+IF9325+IF93270PT

PRODUCT DIMENSION	4138x1448x2355(mm)
$(L \times W \times H)$	162.9x57.0x92.7(in)






#### 8 STACK MULTI-STATION


IF9327+IF9327+IF9327OPT

RODUCT DIMENSION	6262x3428x2355(mm)
L×W×H)	246.5x135.0x92.7(in)


#### ES3000 3 STACK MULTI-STATION



Product Dimension	2694x2440x2148(mm)
(L×W×H)	106.1x96.1x84.6(in)
Product Weight	299.9kg/661.2lbs
Stacks Weight	91kgx3 (200lbsx3)
OPT Weight	26.5kg



#### ES3000 OPT HI-LO PULLEY ATTACHMENT






muscle groups training. Adjustable handle is conveniently located

for easy access.

Excellent structural design, easy & quick adjustment seat is for prone leg curls or leg extension exercises which satisfy various muscle groups.



























#### ES9030 DUAL ADJUSTABLE PULLEY ES7011 BENCH



Chin-up/pull-up bar with ergonomic bends for regular grip, wide grip and reverse grip exercises.

31 vertical pulley positions for a large variety of different exercises.

With accessories as lat strap, long bar retractable strap, leg ext/curl strap and tricep rope, DAP offers users dynamic and various work-

Multi-position bench offers 5 upright/incline positions for back pad and 3 position for seat, which satisfies various workout experience.

The over-sized feet would stabilize the users during certain workouts like tricep extension.

Conveniently located iPad holder allows user to watch online training videos during the workouts, over-sized bottle holder is within reach.





Fold away bench for easy storage and space saving





#### ES9030(Long Shroud)

Product Dimension	1734x1123x2150(mm)
(L×W×H)	68.3x44.2x84.7(in)
Product Weight	149.5kg/328.9lbs
Stacks Weight	77kgx2 (170lbsx2)



#### ES9030(Short Shroud)

Product Dimension	1734x1123x2150(mm)
(L×W×H)	68.3x44.2x84.7(in)
Product Weight	121.5kg/267.3lbs
Stacks Weight	77kgx2 (170lbsx2)




Product Dimension	1440x525x490(mm)
(L×W×H)	56.7x20.7x19.3(in)
Product Weight	34.3kg/75.6lbs









ES

#### ES7030 DUAL ADJUSTABLE PULLEY





ES7030

**Product Dimension** 1641x916x2142(mm) (L×W×H) 64.6x36.1x84.3(in) Stacks Weight 77kgx2 (170lbsx2)

HANDLE **Product Dimension** 1126x35(mm) 44.3x1.4(in)








ES

#### ES2100 Multi-Functional Trainer with Smith






Product Dimension	1681x1720x2090(mm)
(L×W×H)	66.18x67.72x82.28(in)
Product Weight	186.1kg/410.3lbs
Opt Weight Stack	170lbs/200lbs x 2 sets

#### ES2000 Multi-Functional Trainer with Smith (Plate Loaded)




Product Dimension	2007x1724x2126(mm)
(L×W×H)	79.01x67.87x83.70(in)
Product Weight	184kg/405.7lbs

Standard	POM Handle	Short Pole	Support Strap	Dip Arm	
	Δ	• 8			7
	Barbell Bar Storage	Ankle Strap	Double-ended Rope	Rowing	Foot Pedal
Optional	ES2000OPT1 Pivot	ES2000OPT2 Foam	Roller + Hi Pull-down Aluminur	m Rod	PTSHILO15000 Chop Bar



Model	HSP-PRO001
Power	110V-220V
Resistance Range	2kg-25kg
Resistance Increment	0.1kg
Resistance Levels	25
Product Dimension	2500×1100×2400 (mm)
	98.4×43.3×94.5 (in)
Net Weight	150kg/330.7lbs
Fixed	Can be fixed to the floor or wall






#### HSP-PRO002 AIR RESISTANCE FUNCTIONAL TRAINER


single trainer or multi-group training





Fixed

Can be fixed to the floor or wall




























### Impulse Cardiovascular Equipment Limited Warranty

Description	Warranty
Frame	7 Years
Treadmill AC Motor	3 Years
Treadmill DC Motor, Structural Moving Parts	2 Years
Display PCB, Motor Controller,	
Generator, EMS, ECB Brake	2 Years
Key Pad, Durable Wear Parts	1 Year

### Impulse Strength Training Equipment Limited Warranty

Description	Warranty
Structural Steel Frame	Lifetime
Rotary Bearings, Weight Stacks, Pulleys,	
Guide Rods, Structural Moving Parts	2 Years
Cable, Linear Bearings, Springs	1 Year
Upholstery, Handgrips, All Other	
Items Not Listed	6 Months

<sup>\*</sup> Conditions and Restrictions Applied.

